Medline Micro-Kill One Germicidal Alcohol Wipes are an effective virucide, bactericide, tuberculocide and fungicide on hard non-porous surfaces, in the presence of an organic load against +Poliovirus serotype 1 [PV-1] [ATCC VR-1562]. \*Hepatitis B Virus, \*Hepatitis C Virus, \*Rhinovirus [ATCC VR-3401, +Norovirus, +Human Coronavirus [ATCC VR-1558] +Rotavirus Strain WA, +Respiratory Syncytial Virus [ATCC VR-261, +Human Immunodeficiency Virus [HIV-11, +Hernes Simplex Virus Type 1 [ATCC VR-539], and +Influenza Virus type A2 [ATCC VR-544], Escherichia coli [E. coli] 0157:H7 [ATCC 35150], Pseudomonas aeruginosa [ATCC 15442], Salmonella enterica [Salmonella] [ATCC 10708], Staphylococcus aureus [ATCC 6538]. Streptococcus pyogenes [Strep] [ATCC 19615]. Vancomycin resistant Enterococcus faecium IVREL [ATCC] 515591. Methicillin resistant Staphylococcus aureus [MRSA] [ATCC 33591]. Klebsiella pneumonia [ATCC 4352]. Listeria monocytogenes [ATCC 984], Acinetobacter baumannii [ATCC 19606]. Campylobacter ieiuni [ATCC 29428]. Burkholderia cepacia [ATCC 25416], Mycobacterium bovis [ATCC 35743], and Trichophyton mentagrophytes [ATCC 95331: when the treated surface is allowed to remain wet for 1 minute. Allow surfaces to air dry. FEFICACY TESTS HAVE DEMONSTRATED THAT MICRO-KILL

ONE GERMICIDAL ALCOHOL WIPES IS AN EFFECTIVE VIRUCIDE. BACTERICIDE, TUBERCULOCIDE AND FUNGICIDE IN THE PRESENCE OF ORGANIC SOIL.



Manufactured for Medline Industries LP. Three Lakes Drive, Northfield, IL 60093 Micro-Kill is a trademark of Medline Industries LP 1-800-MEDLINE V3 BJ21GGB

For Technical Information call: 1-800-MEDLINE For an MSDS, call 1-800-MEDLINE and request document MSC351300

REF MSC351300







#### RACTERICIDAL

Acinetobacter baumannii Burkholderia cepacia Campylobacter ieiuni Escherichia coli 0157:H7 [E. coli] Klebsiella pneumoniae Listeria monocytogenes Pseudomonas aeruginosa

ACTIVE INGREDIENTS:

OTHER INGREDIENTS\*:

Didecyl Dimethyl Ammonium Chloride

Ethyl Alcohol.

#### BACTERICIDAL

Salmonella enterica Staphylococcus aureus [Staph] Streptococcus pyogenes [Strep] Vancomycin Resistant Enterococcus faecium [VRE] Methicillin resistant

Staphylococcus

aureus [MRSA]

#### \*VIRUCIDAL +Norovirus

+Rhinovirus +Human Coronavirus +Poliovirus +Influenza virus type A2 [Flu] \*Rotavirus Strain WA

Disinfecting wipe for hard.

patient care equipment and

point-of-care equipment.

non-porous surfaces.

#### \*VIRUCIDAL

\*Respiratory Syncytial virus [RSV] +Hepatitis B Virus [HBV] \*Hepatitis C Virus [HCV] \*Herpes Simplex virus type 1 +Human Immunodeficiency virus [HIV-1] [AIDS]

#### **FUNGICIDAL**

Trichophyton mentagrophytes [Athletes Foot fungus]

#### TUBERCUL OCIDAL

Mycobacterium bovis

.72.50%

. 0.33%

.27.17%

.100.00%

# **ACCEPTED** VIA NOTIFICATION LABEL NOT REVIEWED

IAN 11 2022

Pesticide Product Registration

of Environmental Conservation Division of Materials Management

Doc ID: 578937

New York State Department

# STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Always store this product and all pesticides in the original container. If a leaky container must be contained within another, mark the outer container to identify the contents. Protect from extreme heat or cold.

Pesticide (wipe) Disposal: Wastes resulting from the use of this product must be disposed of on site or at an approved disposal

Container Disposal: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available, or discard empty container in trash.

#### FIRST AID

DIRECTIONS FOR USE: It is a violation of Federal law to use

This product is not to be used as a terminal sterilant/high-level

disinfectant on any surface or instrument that (1) is introduced

directly into the human body, either into or in contact with the

this product in a manner inconsistent with its labeling.

bloodstream or normally sterile areas of the body, or (2)

contacts intact mucous membranes but which does not

ordinarily penetrate the blood barrier or otherwise enter

CLEANING: Use one or more wipes, as necessary, to wet

surface sufficiently and to thoroughly clean the surface.

**DISINFECTING:** To disinfect hard, non-porous surfaces.

use one or more wipes, as necessary, to thoroughly wet the

listed on this label. For visibly soiled surfaces, clean before

surface to be treated. Treated surface must remain visibly wet

for one minute to achieve complete disinfection of all pathogens

following disinfecting instructions. Allow surfaces to air dry. For

surfaces that may come in contact with food, a potable water

To Dispense Wipes: Open lid, remove entire cover, remove

and discard seal. From center of wipes roll pull up a corner of

first wipe and tear off at a 45° angle. Remaining wipes feed

of the exposed wine inside the well in the cover, and the lid

ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY

or other settings in which there is an expected likelihood of

and in which the surfaces / objects likely to be soiled with

blood or body fluids can be associated with the potential for

DECONTAMINATION AGAINST HIV-1. HBV AND HCV ON

. Personal Protection: When handling items soiled with

blood or body fluids, use disposable latex gloves, gowns,

. Cleaning Procedure: Blood and other body fluids must be

 Contact Time: Allow surface to remain wet for 1 full minute. . Disposal of Infectious Materials: Blood and other body fluids should be autoclaved and disposed of according to

thoroughly cleaned from surfaces and objects before application of Medline Micro-Kill One Germicidal Alcohol

local regulations for infectious waste disposal.

SURFACES / OBJECTS SOILED WITH BLOOD / BODY

transmission of HIV-1 associated with AIDS, HBV and HCV.

SPECIAL INSTRUCTIONS FOR CLEANING AND

soiling of inanimate surfaces/objects with blood or body fluids,

SOILED WITH BLOOD / BODY FLUIDS in health care settings

+KILLS HIV-1, HBV AND HCV ON PRE-CLEANED

the wipe, twist it and thread it through the hole in the container

automatically, ready for next use. When not in use, keep the tip

cover. Pull through about one inch. Replace cover tightly. Pull out

normally sterile areas of the body.

rinse is required.

snapped closed.

FLUIDS:

masks and eye coverings.

DISPENSING INSTRUCTIONS:

If in eyes: Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present. after the first 5 minutes, then continue rinsing. Call a poison. control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center, doctor, or going for treatment. For emergency information concerning this product, call the National Pesticides Information Center [NPIC] at 1-800-858-7378 seven days a week, 6:30 am to 4:30 pm Pacific Time (NPIC Website: www.npic.orst.edul.

#### PRECAUTIONARY STATEMENTS

Hazards To Humans And Domestic Animals. CAUTION: Causes moderate eve irritation. Avoid contact with eves or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet

PHYSICAL OR CHEMICAL HAZARDS: Flammable, Keep away from heat or open flame.

Medline Micro-Kill One Germicial Alcohol Wipes will not harm most surfaces: including stainless steel, aluminum, plastics, fiberglass, vinyl, and most painted surfaces. For plastic and painted surfaces, spot test on an inconspicuous area before use. Do not use on unpainted wood. Not for use on people or

Medline Micro-Kill One Germicial Alcohol Wipes will clean and disinfect hard, non-porous surfaces of: Bed railings, cabinets, carts, chairs, counters, exam tables, gurneys, isolettes, IV poles, stethoscopes, stretchers, tables, telephones, toilet seats, toilets, bathtubs, bathroom fixtures, shower stalls, sinks, tiles, vanity tops, hospital beds, traction devices, MRI, CAT, scales, paddles, wheelchairs, stainless steel, glazed porcelain, glazed ceramic tile, and plastic surfaces.

# **KEEP OUT OF REACH OF CHILDREN** CAUTION

See side panel for additional precautionary statements 

\*Other ingredients do not include the weight of dry wipes.

PRE-SATURATED WIPES 6 in x 6.75 in (15.2 cm x 17.1 cm) Net Wt: 1 lb 13.3 oz (830 g)

Medline Micro-Kill One Germicidal Alcohol Wipes are an effective virucide, bactericide, tuberculocide and fungicide on hard non-porous surfaces, in the presence of an organic load, against +Poliovirus serotype 1 [PV-1] [ATCC VR-1562], +Hepatitis B Virus, +Hepatitis C Virus, +Rhinovirus [ATCC] VR-340], +Norovirus, +Human Coronavirus [ATCC VR-1558], +Rotavirus Strain WA, +Respiratory Syncytial Virus [ATCC VR-26], +Human Immunodeficiency Virus [HIV-1], +Herpes Simplex Virus Type 1 [ATCC VR-539], and +Influenza Virus type A2 [ATCC VR-544], Escherichia coli [E. coli] 0157:H7 [ATCC 35150], Pseudomonas aeruginosa [ATCC 15442], Salmonella enterica [Salmonella] [ATCC 10708], Staphylococcus aureus [ATCC 6538], Streptococcus pyogenes [Strep] [ATCC 19615], Vancomycin resistant Enterococcus faecium [VRE] [ATCC 51559], Methicillin resistant Staphylococcus aureus [MRSA] [ATCC 33591], Klebsiella pneumonia [ATCC 4352], Listeria monocytogenes [ATCC 984], Acinetobacter baumannii [ATCC 19606]. Campylobacter jejuni [ATCC 29428], Burkholderia cepacia [ATCC 25416], Mycobacterium bovis [ATCC 35743], and Trichophyton mentagrophytes [ATCC 9533]; when the treated surface is allowed to remain wet for 1 minute. Allow surfaces to air dry. EFFICACY TESTS HAVE DEMONSTRATED THAT MICRO-KILL ONE GERMICIDAL ALCOHOL WIPES IS AN EFFECTIVE VIRUCIDE, BACTERICIDE, TUBERCULOCIDE AND FUNGICIDE IN THE PRESENCE OF ORGANIC SOIL



Manufactured for Medline Industries LP, Three Lakes Drive, Northfield, IL 60093 USA. Micro-Kill is a trademark of Medline Industries, LP, 1-800-MEDLINE V3 BJ21GGB

For Technical Information call: 1-800-MEDLINE For an MSDS, call 1-800-MEDLINE and request document MSC351310

REF MSC351310







# GERMICIDAL ALCOHOL WIPES

#### **BACTERICIDAL**

Acinetobacter baumannii Burkholderia cepacia Campylobacter jejuni Escherichia coli 0157:H7 [E. coli] Klebsiella pneumoniae Listeria monocytogenes Pseudomonas aeruginosa

ACTIVE INGREDIENTS:

OTHER INGREDIENTS\*:

Ethyl Alcohol.

TOTAL:

#### BACTERICIDAL

Salmonella enterica Staphylococcus aureus [Staph] Streptococcus pyogenes [Strep] Vancomycin Resistant Enterococcus faecium [VRE] Methicillin resistant Staphylococcus aureus [MRSA]

## \*VIRUCIDAL

+Norovirus \*Rhinovirus +Human Coronavirus +Poliovirus +Influenza virus type A2 [Flu] \*Rotavirus Strain WA

#### \*VIRUCIDAL

\*Respiratory Syncytial virus [RSV] \*Hepatitis B Virus [HBV] \*Hepatitis C Virus [HCV] \*Herpes Simplex virus type 1 +Human Immunodeficiency

virus [HIV-1] [AIDS]

## **FUNGICIDAL**

Trichophyton mentagrophytes [Athletes Foot fungus]

#### **TUBERCULOCIDAL**

Mycobacterium bovis

.72.50% ..0.33% Didecyl Dimethyl Ammonium Chloride .27.17% 100.00% \*Other ingredients do not include the weight of dry wipes.



Disinfecting wipe for hard. non-porous surfaces. patient care equipment and

ACCEPTED point-of-care equipment. VIA NOTIFICATION LABEL NOT REVIEWED

IAN 11 2022

New York State Department of Environmental Conservation Division of Materials Management Pesticide Product Registration

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product is not to be used as a terminal sterilant/high-level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body.

CLEANING: Use one or more wipes, as necessary, to wet surface sufficiently and to thoroughly clean the surface.

DISINFECTING: To disinfect hard, non-porous surfaces, use one or more wipes, as necessary, to thoroughly wet the surface to be treated. Treated surface must remain visibly wet for one minute to achieve complete disinfection of all pathogens listed on this label. For visibly soiled surfaces, clean before following disinfecting instructions. Allow surfaces to air dry. For surfaces that may come in contact with food, a potable water rinse is required.

#### DISPENSING INSTRUCTIONS:

To Dispense Wipes: Open lid, remove entire cover, remove and discard seal. From center of wipes roll pull up a corner of the wipe, twist it and thread it through the hole in the container cover. Pull through about one inch. Replace cover tightly. Pull out first wipe and tear off at a 45° angle. Remaining wipes feed automatically, ready for next use. When not in use, keep the tip of the exposed wipe inside the well in the cover, and the lid snapped closed.

+KILLS HIV-1. HBV AND HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD / BODY FLUIDS in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces / objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of HIV-1 associated with AIDS. HBV and HCV.

#### SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1. HBV AND HCV ON SURFACES / OBJECTS SOILED WITH BLOOD / BODY FLUIDS:

- . Personal Protection: When handling items soiled with blood or body fluids, use disposable latex gloves, gowns, masks and eve coverings
- Cleaning Procedure: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of Medline Micro-Kill One Germicidal Alcohol
- . Contact Time: Allow surface to remain wet for 1 full minute
- . Disposal of Infectious Materials: Blood and other body fluids should be autoclaved and disposed of according to local regulations for infectious waste disposal.

# STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or

Pesticide Storage: Always store this product and all pesticides in the original container. If a leaky container must be contained within another. mark the outer container to identify the contents. Protect from extreme heat or cold.

Pesticide (wipe) Disposal: Wastes resulting from the use of this product must be disposed of on site or at an approved disposal facility.

Container Disposal: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available, or discard empty container in trash.

#### FIRST AID

If in eves: Hold eves open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice

Have the product container or label with you when calling a poison control center, doctor, or going for treatment. For emergency information concerning this product, call the National Pesticides Information Center INPICI at 1-800-858-7378 seven days a week, 6:30 am to 4:30 pm Pacific Time INPIC Website: www.npic.orst.edu].

#### PRECAUTIONARY STATEMENTS

Hazards To Humans And Domestic Animals.

CAUTION: Causes moderate eye irritation. Avoid contact with eves or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

PHYSICAL OR CHEMICAL HAZARDS: Flammable, Keep away from heat or open flame.

Medline Micro-Kill One Germicial Alcohol Wipes will not harm most surfaces: including stainless steel, aluminum. plastics, fiberglass, vinvl, and most painted surfaces. For plastic and painted surfaces, spot test on an inconspicuous area before use. Do not use on unpainted wood. Not for use on people or pets.

Medline Micro-Kill One Germicial Alcohol Wipes will clean and disinfect hard, non-porous surfaces of: Bed railings. cabinets, carts, chairs, counters, exam tables, gurneys, isolettes, IV poles, stethoscopes, stretchers, tables, telephones, toilet seats, toilets, bathtubs, bathroom fixtures, shower stalls, sinks, tiles, vanity tops, hospital beds, traction devices, MRI, CAT, scales, paddles, wheelchairs, stainless steel, glazed porcelain, glazed ceramic tile, and plastic surfaces.

# **KEEP OUT OF REACH OF CHILDREN** CAUTION

See side panel for additional precautionary statements. EPA Reg. No. 88494-2-37549 EPA Est. No. 98337-IL-1

**PRE-SATURATED WIPES** 7 in X 15 in (17.8 cm X 38.1 cm) Net Wt: 1 lb 8 oz (681g)

Medline Micro-Kill One Germicidal Alcohol Wipes are an effective virucide, bactericide, tuberculocide and fungicide on hard non-porous surfaces, in the presence of an organic load, against +Poliovirus serotype 1 [PV-1] [ATCC VR-1562], +Hepatitis B Virus, +Hepatitis C Virus, +Rhinovirus [ATCC] VR-340], +Norovirus, +Human Coronavirus [ATCC VR-1558], +Rotavirus Strain WA, +Respiratory Syncytial Virus [ATCC VR-26], +Human Immunodeficiency Virus [HIV-1], +Herpes Simplex Virus Type 1 [ATCC VR-539], and +Influenza Virus type A2 [ATCC VR-544], Escherichia coli [E. coli] 0157:H7 [ATCC 35150], Pseudomonas aeruginosa [ATCC 15442], Salmonella enterica [Salmonella] [ATCC 10708], Staphylococcus aureus [ATCC 6538], Streptococcus pyogenes [Strep] [ATCC 19615], Vancomycin resistant Enterococcus faecium [VRE] [ATCC 51559], Methicillin resistant Staphylococcus aureus [MRSA] [ATCC 33591], Klebsiella pneumonia [ATCC 4352], Listeria monocytogenes [ATCC 984], Acinetobacter baumannii [ATCC 19606]. Campylobacter jejuni [ATCC 29428], Burkholderia cepacia [ATCC 25416], Mycobacterium bovis [ATCC 35743], and Trichophyton mentagrophytes [ATCC 9533]; when the treated surface is allowed to remain wet for 1 minute. Allow surfaces to air dry. EFFICACY TESTS HAVE DEMONSTRATED THAT MICRO-KILL ONE GERMICIDAL ALCOHOL WIPES IS AN EFFECTIVE VIRUCIDE, BACTERICIDE, TUBERCULOCIDE AND FUNGICIDE IN THE PRESENCE OF ORGANIC SOIL



Manufactured for Medline Industries LP, Three Lakes Drive, Northfield, IL 60093 USA. Micro-Kill is a trademark of Medline Industries, LP. 1-800-MEDLINE V3 RK21HND

For Technical Information call: 1-800-MEDLINE For an MSDS, call 1-800-MEDLINE and request document MSC351310

REF MSC351310







# GERMICIDAL ALCOHOL WIPES

#### **BACTERICIDAL**

Acinetobacter baumannii
Burkholderia cepacia
Campylobacter jejuni
Escherichia coli
0157:H7 [E. coli]
Klebsiella pneumoniae
Listeria monocytogenes
Pseudomonas aeruginosa

#### BACTERICIDAL

Salmonella enterica
Staphylococcus aureus [Staph]
Streptococcus pyogenes [Strep]
Vancomycin Resistant
Enterococcus faecium [VRE]
Methicillin resistant
Staphylococcus
aureus [MRSA]

#### \*VIRUCIDAL

\*Norovirus

\*Rhinovirus

] \*Human
Coronavirus

\*Poliovirus

\*Influenza virus
type A2 [Flu]

\*Rotavirus Strain WA

#### \*VIRUCIDAL

\*Respiratory Syncytial
virus [RSV]
\*Hepatitis B Virus [HBV]
\*Hepatitis C Virus [HCV]
\*Herpes Simplex
virus type 1
\*Human
Immunodeficiency

virus [HIV-1] [AIDS]

## FUNGICIDAL

Trichophyton mentagrophytes [Athletes Foot fungus]

#### TUBERCULOCIDAL

Mycobacterium bovis

\*Other ingredients do not include the weight of dry wipes.



Disinfecting wipe for hard, non-porous surfaces, patient care equipment and point-of-care equipment.

<sup>ent.</sup> VIA NOTIFICATION LABEL NOT REVIEWED

**ACCEPTED** 

JAN 11 2022

New York State Department of Environmental Conservation Division of Materials Management Pesticide Product Registration

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product is not to be used as a terminal sterilant/high-level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body.

**CLEANING:** Use one or more wipes, as necessary, to wet surface sufficiently and to thoroughly clean the surface.

DISINFECTING: To disinfect hard, non-porous surfaces, use one or more wipes, as necessary, to thoroughly wet the surface to be treated. Treated surface must remain visibly wet for one minute to achieve complete disinfection of all pathogens listed on this label. For visibly soiled surfaces, clean before following disinfecting instructions. Allow surfaces to air dry. For surfaces that may come in contact with food, a potable water rinse is required.

#### DISPENSING INSTRUCTIONS:

To Dispense Wipes: Open lid, remove entire cover, remove and discard seal. From center of wipes roll pull up a corner of the wipe, twist it and thread it through the hole in the container cover. Pull through about one inch. Replace cover tightly. Pull out first wipe and tear off at a 45° angle. Remaining wipes feed automatically, ready for next use. When not in use, keep the tip of the exposed wipe inside the well in the cover, and the lid snapped closed.

\*KILLS HIV-1, HBV AND HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD / BODY FLUIDS in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of HIV-1 associated with AIDS. HBV and HCV.

# SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HBV AND HCV ON SURFACES / OBJECTS SOILED WITH BLOOD / BODY FLUIDS:

- Personal Protection: When handling items soiled with blood or body fluids, use disposable latex gloves, gowns, masks and eve coverings
- Cleaning Procedure: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of Medline Micro-Kill One Germicidal Alcohol
- Contact Time: Allow surface to remain wet for 1 full minute.
- Disposal of Infectious Materials: Blood and other body fluids should be autoclaved and disposed of according to local regulations for infectious waste disposal.

# STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Always store this product and all pesticides in the original container. If a leaky container must be contained within another, mark the outer container to identify the contents. Protect from extreme heat or cold.

Pesticide (wipe) Disposal: Wastes resulting from the use of this product must be disposed of on site or at an approved disposal facility.

**Container Disposal:** Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available, or discard empty container in trash.

#### FIRST AID

If in eyes: Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center, doctor, or going for treatment. For demergency information concerning this product, call the National Pesticides Information Center (NPIC) at 1-800-858-7378 seven days a week, 6:30 am to 4:30 pm Pacific Time (NPIC Website: www.npic.orst.edu).

#### PRECAUTIONARY STATEMENTS

Hazards To Humans And Domestic Animals.

**CAUTION:** Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco. or using the toilet.

PHYSICAL OR CHEMICAL HAZARDS: Flammable. Keep away from heat or open flame.

Medline Micro-Kill One Germicial Alcohol Wipes will not harm most surfaces: including stainless steel, aluminum, plastics, fiberglass, vinyl, and most painted surfaces. For plastic and painted surfaces, spot test on an inconspicuous area before use. Do not use on unpainted wood. Not for use on people or pets.

Medline Micro-Kill One Germicial Alcohol Wipes will clean and disinfect hard, non-porous surfaces of: Bed railings, cabinets, carts, chairs, counters, exam tables, gurneys, isolettes, IV poles, stethoscopes, stretchers, tables, telephones, toilet seats, toilets, baththubs, bathroom fixtures, shower stalls, sinks, tiles, vanify tops, hospital beds, traction devices, MRI, CAT, scales, paddles, wheelchairs, stainless steel, glazed porcelain, glazed ceramic tile, and plastic surfaces.

# KEEP OUT OF REACH OF CHILDREN CAUTION

See side panel for additional precautionary statements. EPA Reg. No. 88494-2-37549 EPA Est. No. 37549-WI-1

PRE-SATURATED WIPES
7 in X 15 in (17.8 cm X 38.1 cm)
Net Wt: 1 lb 8 oz (681g)

Medline Micro-Kill One Germicidal Alcohol Wipes are an effective virucide, bactericide, tuberculocide and fungicide on hard non-porous surfaces, in the presence of an organic load against +Poliovirus serotype 1 [PV-1] [ATCC VR-1562], \*Henatitis B Virus. \*Henatitis C Virus. \*Rhinovirus (ATCC VR-3401, +Norovirus, +Human Coronavirus [ATCC VR-1558]. +Rotavirus Strain WA, +Respiratory Syncytial Virus [ATCC VR-26]. +Human Immunodeficiency Virus [HIV-1]. +Herpes Simplex Virus Type 1 [ATCC VR-539], and +Influenza Virus type A2 [ATCC VR-544], Escherichia coli [E. coli] 0157:H7 [ATCC 351501, Pseudomonas aeruginosa [ATCC 15442], Salmonella enterica [Salmonella] [ATCC 10708], Staphylococcus aureus [ATCC 6538], Streptococcus pyogenes [Strep] [ATCC 19615] Vancomycin resistant Enterococcus faecium [VRE] [ATCC 515591. Methicillin resistant Staphylococcus aureus IMRSAI [ATCC 33591]. Klebsiella pneumonia [ATCC 4352]. Listeria monocytogenes [ATCC 984], Acinetobacter baumannii [ATCC 19606], Campylobacter jejuni [ATCC 29428] Burkholderia cepacia [ATCC 25416], Mycobacterium bovis [ATCC 35743], and Trichophyton mentagrophytes [ATCC 95331: when the treated surface is allowed to remain wet for 1 minute. Allow surfaces to air dry. EFFICACY TESTS HAVE DEMONSTRATED THAT MICRO-KILL ONE GERMICIDAL ALCOHOL WIPES IS AN EFFECTIVE VIRUCIDE. BACTERICIDE, TUBERCULOCIDE AND FUNGICIDE IN THE PRESENCE OF ORGANIC SOIL.



Manufactured for Medline Industries LP, Three Lakes Drive, Northfield, IL 60093 USA. Micro-Kill is a trademark of Medline Industries, LP. 1-800-MEDLINE V3 RK21HND

For Technical Information call: 1-800-MEDLINE For an MSDS, call 1-800-MEDLINE and request document MSC351300

REF MSC351300







#### BACTERICIDAL

Acinetobacter baumannii Burkholderia cepacia Campylobacter jejuni Escherichia coli 0157:H7 [E. coli] Klebsiella pneumoniae Listeria monocytogenes Pseudomonas aeruginosa

#### RACTERICIDAL

Salmonella enterica
Staphylococcus aureus [Staph]
Streptococcus pyogenes [Strep]
Vancomycin Resistant
Enterococcus faecium [VRE]
Methicilin resistant
Staphylococcus
aureus [MRSA]

#### \*VIRUCIDAL

+Norovirus \*Respiratory Syncytial virus (RSVI +Rhinovirus +Hepatitis B Virus [HBV] +Human \*Hepatitis C Virus [HCV] Coronavirus \*Poliovirus \*Herpes Simplex virus type 1 +Influenza virus type A2 [Flu] +Human \*Rotavirus Strain WA Immunodeficiency

\*VIRUCIDAL

virus [HIV-1] [AIDS]

#### FUNGICIDAL

Trichophyton mentagrophytes [Athletes Foot fungus]

Mycobacterium bovis

3 d/W V dA q

Disinfecting wipe for hard, non-porous surfaces, patient care equipment and point-of-care equipment.

#### ACTIVE INGREDIENTS:

thyl Alcohol	72.50%
Didecyl Dimethyl Ammonium Chloride	
OTHER INGREDIENTS*:	27.17%
TOTAL:	100.00%

\*Other ingredients do not include the weight of dry wipes.

# KEEP OUT OF REACH OF CHILDREN CAUTION

See side panel for additional precautionary statements
EPA Reg. No. 88494-2-37549 EPA Est. No. 37549-WI-1

# ACCEPTED VIA NOTIFICATION LABEL NOT REVIEWED

JAN 11 2022

New York State Department of Environmental Conservation Division of Materials Management Pesticide Product Registration **DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product is not to be used as a terminal sterilant/high-level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body.

CLEANING: Use one or more wipes, as necessary, to wet surface sufficiently and to thoroughly clean the surface. DISINFECTING: To disinfect hard, non-porous surfaces, use one or more wipes, as necessary, to thoroughly wet the surface to be treated. Treated surface must remain visibly wet for one minute to achieve complete disinfection of all plathogens listed on this label. For visibly soiled surfaces, clean before following disinfecting instructions. Allow surfaces to air dry. For surfaces that may come in contact with food, a potable water rinse is required.

#### DISPENSING INSTRUCTIONS:

To Dispense Wipes: Open lid, remove entire cover, remove and discard seal. From center of wipes roll pull up a corner of the wipe, twist it and thread it through the hole in the container cover. Pull through about one inch. Replace cover tightly. Pull out first wipe and tear off at a 45° angle. Remaining wipes feed automatically, ready for next use. When not lin use, keep the tip of the exposed wipe inside the well in the cover, and the lid snapoed closes.

\*KILLS HIV-1, HBV AND HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD / BODY FLUIDS in health care settings or other settings in which there is an expected likelihood of solling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces / objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of HIV-1 associated with AIDS, HBV and HCV.

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HBV AND HCV ON SURFACES / OBJECTS SOILED WITH BLOOD / BODY FLUIDS:

- Personal Protection: When handling items soiled with blood or body fluids, use disposable latex gloves, gowns, masks and eye coverings.
- Cleaning Procedure: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of Medline Micro-Kill One Germicidal Alcohol Micro-
- Contact Time: Allow surface to remain wet for 1 full minute.
- Disposal of Infectious Materials: Blood and other body fluids should be autoclaved and disposed of according to local regulations for infectious waste disposal.

# STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Always store this product and all pesticides in the original container. If a leaky container must be contained within another, mark the outer container to identify the contents. Protect from extreme heat or cold.

Pesticide (wipe) Disposal: Wastes resulting from the use of this product must be disposed of on site or at an approved disposal facility.

Container Disposal: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available, or discard empty container in trash.

#### FIRST AID

If in eyes: Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center, doctor, or going for treatment. For emergency information concerning this product, call the National Pesticides Information Center [NPIC] at 1-800-858-7378 seven days a week, 6:30 am to 4:30 pm Pacific Time [NPIC Website: www.noic.orst.edul.

#### PRECAUTIONARY STATEMENTS

Hazards To Humans And Domestic Animals.

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco. or using the toilet.

PHYSICAL OR CHEMICAL HAZARDS: Flammable. Keep away from heat or open flame.

Medline Micro-Kill One Germicial Alcohol Wipes will not harm most surfaces: including stainless steel, aluminum, plastics, fiberglass, viniyl, and most painted surfaces. For plastic and painted surfaces, spot test on an inconspicuous area before use. Do not use on unpainted wood. Not for use on people or note.

Medline Micro-Kill One Germicial Alcohol Wipes will clean and disinfect hard, non-porous surfaces of: Bed railings, cabinets, carts, chairs, counters, exam tables, gurneys, isolettes, IV poles, stethoscopes, stretchers, tables, telephones, toilet seats, toilets, bathfubs, bathroom fixtures, shower stalls, sinks, tiles, vanity tops, hospital beds, traction devices, MRI, CAT, scales, paddles, wheelchairs, stainless steel, glazed porcelain, glazed ceramic tile, and plastic

T CONTENTS: 160

PRE-SATURATED WIPES
6 in x 6.75 in (15.2 cm x 17.1 cm)
Net Wt: 1 lb 13.3 oz (830 g)